

- Polypropylene Friday, June 30, 2017

General Information

Product Description

Sinpolene MBB3034 is a polypropylene-based black masterbatch designed specifically for use in injection moulding and sheet extrusion of polypropylene. Sinpolene MBB3034, offers excellent colouring value with superior quality and performance.

Sinpolene MBB3034 is delivered as free flowing pellets for processing convenience. The product should be stored in dry place.

CHARACTERISTICS

- * Easy processing
- * High dispersion
- * Good jetness

General		
Material Status	Commercial: Active	
Availability	Asia Pacific	
Uses	Masterbatch	
RoHS Compliance	RoHS Compliant	
Appearance	• Black	
Forms	• Pellets	
Processing Method	Injection Molding	

ASTM & ISO Properties 1			
Physical	Nominal Value Unit	Test Method	
Specific Gravity	1.14	ASTM D792	
Melt Mass-Flow Rate (MFR) (230°C/21.6 kg)	< 15 g/10 min	ASTM D1238	
Carbon Black Content	40 %	ASTM D1603	
Moisture Content	< 0.25 %	ASTM D3030	

Additional Information

Recommended dosage 1 - 3% EU Food Contact compliant

Notes

Teknor Apex Company Corporate Headquarters

In U.S. for Vinyls, TPEs, Colorants, Engineered Thermoplastics (Chem Polymer) 505 Central Avenue

Pawtucket, Rhode Island 02861 U.S.

Phone: 401-725-8000 Fax: 401-725-8095

Toll Free (U.S. only) 800-556-3864

Teknor Apex U.K. Ltd.

Tat Bank Road

Oldbury, West Midlands B69 4NH England

Phone: (44) 121-665-2100 Fax: (44) 121-544-5530

etpsales@teknorapex.co.uk

info@teknorapex.com



Revision Date: 3/17/2016

¹ Typical properties: these are not to be construed as specifications.