🚸 TEKNOR APEX

Flexalloy® 09-U0373R1-82NT1

Teknor Apex Company - Flexible Polyvinyl Chloride

Friday, June 30, 2017

General Information					
Commercial: Active					
 Africa & Middle East Asia Pacific	 Europe Latin America	North America			
Medical/Healthcare Applic	Medical/Healthcare Applications				
Pellets					
	 Commercial: Active Africa & Middle East Asia Pacific Medical/Healthcare Applic 	Commercial: Active Africa & Middle East Asia Pacific Medical/Healthcare Applications			

ASTM & ISO Properties 1			
Physical	Nominal Value	Unit	Test Method
Specific Gravity	1.21		ASTM D792
Mechanical	Nominal Value	Unit	Test Method
Tensile Strength (Break)	3100	psi	ASTM D638
Tensile Elongation (Break)	330	%	ASTM D638
Hardness	Nominal Value	Unit	Test Method
Durometer Hardness (Shore A, 15 sec)	82		ASTM D2240

.. .

Notes

¹ Typical properties: these are not to be construed as specifications.

Teknor Apex U.K. Ltd.
Tat Bank Road Oldbury, West Midlands B69 4NH England
Phone: (44) 121-665-2100 Fax: (44) 121-544-5530
etpsales@teknorapex.co.uk

info@teknorapex.com



Revision Date: 4/9/2015

The information and recommendations contained in this bulletin are, to the best of our knowledge, accurate and reliable but no guarantee of their accuracy is made. All products are sold upon condition that purchasers shall make their own tests to determine the suitability of such products for their particular purposes and uses and purchasers assume all risks and liability for the results of use of the products, including use in accordance with seller's recommendations. Nothing in this bulletin constitutes permission or a recommendation to practice or use any invention covered by any patent owned by this company or by others. There is no warranty of merchantability and there are no other warranties for the products described.