

Chemlon® 253 U

Teknor Apex Company (Chem Polymer) - Polyamide 6

Friday, June 30, 2017

General Information				
General				
Material Status	Commercial: Active			
Availability	Asia Pacific	• Europe	North America	
Additive	 Impact Modifier 	 UV Stabilizer 		
Features	General PurposeGood Toughness	 Impact Modified Medium Viscosity		
Appearance	 Natural Color 			
Forms	• Pellets			
Processing Method	 Injection Molding 			

ASTM & ISO Properties ¹				
Physical	Nominal Value	Unit	Test Method	
Specific Gravity	1.10		ASTM D792	
Mechanical	Nominal Value	Unit	Test Method	
Tensile Strength (73°F)	9000	psi	ASTM D638	
Tensile Elongation (Break, 73°F)	50	%	ASTM D638	
Flexural Modulus (73°F)	325000	psi	ASTM D790	
Flexural Strength (73°F)	12500	psi	ASTM D790	
Impact	Nominal Value	Unit	Test Method	
Notched Izod Impact (73°F)	2.5	ft·lb/in	ASTM D256	
Thermal	Nominal Value	Unit	Test Method	
Deflection Temperature Under Load			ASTM D648	
264 psi, Unannealed	130	°F		
Melting Temperature	410	°F		
Flammability	Nominal Value	Unit	Test Method	
Flame Rating	НВ		UL 94	

Processing Information				
Injection	Nominal Value Unit			
Drying Temperature	150 to 180 °F			
Suggested Max Moisture	0.20 %			
Rear Temperature	470 °F			
Middle Temperature	450 °F			
Front Temperature	440 °F			
Nozzle Temperature	450 °F			
Mold Temperature	70 to 200 °F			
Injection Pressure	5000 to 20000 psi			
Screw Speed	60 to 120 rpm			

Notes

¹ Typical properties: these are not to be construed as specifications.

上海松静理化科技有限公司 上海松静理化科技有限公開商 TEKNOR APEX 特诺尔爱佩斯 TEKNOR APEX 特诺尔曼佩斯 teknorapex.shshsi.com 麻麻鹿鹿

Revision Date: 12/11/2008

Chemlon® 253 U

Teknor Apex Company (Chem Polymer) - Polyamide 6

Teknor Apex Company Corporate Headquarters

In U.S. for Vinyls, TPEs, Colorants, Engineered Thermoplastics (Chem Polymer)

505 Central Avenue Pawtucket, Rhode Island 02861 U.S.

Phone: 401-725-8000 Fax: 401-725-8095

Toll Free (U.S. only) 800-556-3864

info@teknorapex.com

Teknor Apex U.K. Ltd.

Tat Bank Road
Oldbury, West Midlands B69 4NH England

Phone: (44) 121-665-2100 Fax: (44) 121-544-5530

etpsales@teknorapex.co.uk



Revision Date: 12/11/2008